

AML Schema

The following is the AML Schema:



```

<xsd:schema xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <xsd:complexType name="Item">
    <xsd:all>
<!-- Any user elements defined by the ItemType for the item -->
      <xsd:complexType name="Relationships" minOccurs="0" maxOccurs="1">
        <xsd:all>
          <xsd:element name="Item" minOccurs="0" maxOccurs="unbounded">
            <xsd:complexType>
              <xsd:all>
<!-- Any user elements defined by the ItemType for the item -->
                <xsd:attribute name="id" type="xsd:ID" />
                <xsd:attribute name="type" type="xsd:string" />
                <xsd:attribute name="typeID" type="xsd:IDREF" />
                <xsd:attribute name="action" type="xsd:string" />
                <xsd:attribute name="sort_order" type="xsd:integer" />
              </xsd:all>
            </xsd:complexType>
          </xsd:element>
        </xsd:all>
      </xsd:complexType>
    </xsd:all>
    <xsd:attribute name="id" type="xsd:ID" />
    <xsd:attribute name="type" type="xsd:string" />
    <xsd:attribute name="typeID" type="xsd:IDREF" />
    <xsd:attribute name="action" type="xsd:string" />
    <xsd:attribute name="select" type="xsd:string" />
    <xsd:attribute name="order_by" type="xsd:integer" />
  <xsd:union>

```



```
<xsd:attributeGroup>
  <xsd:attribute name="pagesize" type="xsd:integer" />
  <xsd:attribute name="page" type="xsd:integer" />
</xsd:attributeGroup>
<xsd:attributeGroup>
  <xsd:attribute name="levels" type="xsd:integer" />
  <xsd:attribute name="config_path" type="xsd:string" />
</xsd:attributeGroup>
</xsd:union>
</xsd:complexType>
</xsd:schema>
```

